

**NOTICE OF APPEAL FROM THE PRIMARY EXAMINER TO
THE BOARD OF PATENT APPEALS AND INTERFERENCES (Small Entity)**


Docket No.
COTE/971/US

In Re Application Of: Armand Cote



Serial No.	Filing Date	Examiner	Group Art Unit
09/140,049	08/26/98	Glessner, B.	3635

Invention: Breakaway Utility Pole



TO THE ASSISTANT COMMISSIONER FOR PATENTS:

Applicant(s) hereby appeal(s) to the Board of Patent Appeals and Interferences from the decision of the Primary Examiner dated 11/2/00 finally rejecting Claim(s) 1-14

Applicant is a small entity under 37 CFR 1.9 and 1.27.

A verified statement of small entity status under 37 CFR 1.27:

RECEIVED

MAR 09 2001

The fee for this Notice of Appeal is: \$155.00

703600 MAIL ROOM

- A check in the amount of the fee is enclosed.
- The Commissioner has already been authorized to charge fees in this application to a Deposit Account. A duplicate copy of this sheet is
- The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No.


A duplicate copy of this sheet is enclosed.


Signature

Dated: 3/2/01

I certify that this document and fee is being deposited on 3/2/01 with the U.S. Postal Service as first class mail under 37 C.F.R. 1.8 and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.


Signature of Person Mailing Correspondence


Joyce Murphy

Typed or Printed Name of Person Mailing Correspondence

CC:

03/08/2001 GTEFFERA 00000070 09140049

01 FC:219

155.00 OP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: ARMAND COTE Paper No.:
Serial No.: 09/140,049 Examiner: GLESSNER, B.
Filed: 08/26/98 Group No.: 3635
For: BREAKAWAY Docket No.: COTE/971/US
UTILITY POLE

To the Commissioner of Patents and Trademarks
Washington, DC 20231



CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited in the U.S. Postal Service as first-class mail in an envelope addressed to Commissioner of Patents and Trademarks, Washington, DC 20231, on March 2, 2001.

RECEIVED

MAR 09 2001

Joyce Murphy
Joyce G. Murphy

TO 3600 MAIL ROOM

REMARKS ACCOMPANYING NOTICE OF APPEAL

The Applicant appeals the rejection of record in this case.

As to the Examiner's suggestion in paragraph 2 of the Office Action regarding adding the words "adapted to" to claim 13, the Applicant is willing to agree to such amendment. Since this is a final Office Action, however, the Applicant has not included the amendment therewith. The Applicant suggests that the Examiner enter the amendment by Examiner's amendment if such is considered to be allowable given the final nature of the Office Action.

Regarding the obviousness rejection, the Applicant respectfully disagrees. As set forth in the remarks accompanying the last response filed by the Applicant, the references in combination do not disclose the construction of claim 13, with solid lower and upper sections and a hollow intermediate section. Even if Andersson is read as disclosing the lower member be solid after it

is filled with concrete, there is no suggestion of making the upper portion solid. The Examiner found that it would have been obvious to make Andersson's third pole portions solid because additional strength may be needed. However, this is clearly hindsight reconstruction of the reference, as there is no such disclosure in Andersson, and Andersson already describes a construction for carrying power lines. Thus, Andersson, with his teaching of a hollow upper section, actually teaches away from a solid upper section.

The Applicant does respectfully suggest that the claims be allowed. If the Examiner disagrees for any reason, the Applicant would suggest a telephone call with Applicant's attorney at 508-791-8500.

Respectfully submitted,



Brian M. Dingman
Reg. No. 32,729